

PARASITES OF NON-NATIVE BREAM, *ABRAMIS BRAMA* (LINNAEUS, 1758) (ACTINOPTERYGII: CYPRINIDAE) IN GREAT SIBERIAN RIVERS: NEW DATA AND REVIEW

© 2024 Voropaeva E.L.^{a,b*}, Sokolov S.G.^a

^aA.N. Severtsov Institute of Ecology and Evolution of the RAS, Moscow, 119071, Russia

^bTobolsk Complex Scientific Station UD RAS, Tobolsk, 626150, Russia

e-mail: *kts2@yandex.ru

Received 9 January, 2024; revised April 11, 2024; accepted May 23, 2024

Bream, *Abramis brama* (Linnaeus, 1758) is an economically important species of cyprinid fish of the Palearctic. Primarily absent in Siberia (Asian Russia) this species is introduced into these regions and now is quite common in Western and Eastern Siberia. The available literature data on bream parasites of the great Siberian rivers, Ob, Yenisei and Lena are summarized and compared with the results of own researches. A total of 48, 31 and 15 parasite species have been recorded for the bream in these three river basins, respectively. Common species for all three basins are *Myxidium rhodei*, *Dactylogyrus crucifer*, *Tylodelphys clavata*, *Diplostomum* spp., *Rhipidocotyle campanula* and *Phyllodistomum elongatum*. The difference in the number of parasite species found is largely due to the poorly studied parasite fauna of the bream in the basins of the Yenisei and Lena. In the basins of the Ob and Yenisei, the host-specific monogeneans and myxozoan, *Dactylogyrus zandti*, *Gyrodactylus elegans*, *Diplozoon paradoxum* and *Myxobolus rotundus* (in both basins), *Dactylogyrus falcatus*, *Dactylogyrus wunderi* (the Ob River basin) and *Dactylogyrus auriculatus* (the Yenisei River basin) were found in this fish species. The registration of these parasites in the Yenisei River basin does not agree with the prevailing opinion about Lake Ubinskoye (Western Siberia) as the only donor reservoir for the introduction of bream to Eastern Siberia. Introduced bream in Siberian reservoirs is infected with opisthorchiid digeneans, which are dangerous for humans.

Keywords: bream, parasites, the Ob River, the Yenisei River, the Lena River, opisthorchiids

DOI:10.35885/1996-1499-17-2-199-201

Full text of the paper is published in Russian Journal of Biological Invasions.

DOI: 10.31857/S207511172104XXXXYY

References

- Agapova, A.I., Parazity ryb vodoemov Kazakhstana (Fish Parasites of Kazakhstan Reservoirs), Alma Ata: Nauka, 1966.
- Askhaev, M.G., Itogi akklimatizatsii promyslovyh ryb v vodoemah juga Vostochnoj Sibiri (Results of acclimatization of commercial fish in reservoirs of the south of Eastern Siberia), in Voprosy rybnogo hozyajstva Vostochnoj Sibiri (Issues of fisheries in Eastern Siberia), Moskalenko, B.K., Ed., Irkutsk: Limnological Inst., 1969, pp. 80–87.
- Bellard, C., Genovesi, P.; Jeschke, J.M., Global patterns in threats to vertebrates by biological invasions, Proc. R. Soc. B., 2016, vol. 283, 20152454. <https://doi.org/10.1098/rspb.2015.2454>
- Bush, A.O., Lafferty, K.D., Lotz, J.M., Shostak, A.W., Parasitology meets ecology on its own terms: Margolis et al. revisited, J. Parasitol., 1997, vol. 83, pp. 575–583.
- Chugunova, Y.K.; Shadrin, E.N., The main patterns of long-term changes of the fauna of fish parasites in the Krasnoyarsk reservoir, *Parazitologiya*, 2018, vol. 52, no. 5, pp. 366–381. <https://doi.org/10.7868/S0031184718050025>
- Dobrokhotova, O.V., Parazitofauna sazana ozera Zajsan-Nor (Parasitofauna of the carp of Lake Zaisan-Nor), Tr. In-ta zool. AN Kazakh SSR., 1953, vol. 1, pp. 170–174
- Essl, F., Lenzner, B., Bacher, S., Bailey, S., Capinha, C., Daehler, C., Dullinger, S., Genovesi, P., Hui, C., Hulme, P.E., Jeschke, J.M.; Katsanevakis, S.; Kuhn, I., Leung, B., Liebhold, A., Liu, C., MacIsaac, H.J., Meyerson, L.A., Nunez, M.A., Pauchard, A., Pysek, P., Rabitsch, W., Richardson, D.M., Roy, H.E., Ruiz, G.M., Russell, J.C., Sanders, N.J., Sax, D.F., Scalera, R., Seebens, H., Springborn, M., Turbelin, A., Kleunen, M., Bvon, H., Winter, M., Zenni, R.D., Mattsson, B.J., Roura-Pascual, N., Drivers of future alien species impacts: an expert-based assessment, Gl. Chan. Biol., 2020, vol. 26, pp. 4880–4893. <https://doi.org/10.1111/gcb.15199>
- Feng, Y., Du, D., Kleunen, M., Global change and biological invasions, J. Plant Ecol., 2022, vol. 15, no. 3, pp. 425–428. <https://doi.org/10.1093/jpe/rtac013>
- Florinskaya, A.A., Parazity i bolezni ryb Bratskogo vodohranilisha (Parasites and diseases of fish of the Bratsk reservoir), in Bolezni i parazity ryb Ledovito-morskoj provintsii (v predelakh SSSR) (Diseases and parasites of fish of the Arctic Sea province (within the

- USSR)), Bauer, O.N., Ed., Sverdlovsk: Sredne-Uralsky Book Publ. House, 1976, pp. 27–42.
- Golovko, G.I., O parazitofaune ryb pojmnennogo ozera Manatka (Srednjaja Ob') (About the parasite fauna of fish of the floodplain lake Manatka (Middle Ob), in *Bolezni i parazity ryb Ledovitomorskoj provintsii (v predelakh SSSR)* (Diseases and parasites of fish of the Arctic Sea province (within the SSSR)), Gundriser, A.N., Bauer, O.N., Eds., Tomsk: Tomckij Un., 1979, pp. 89–93.
- Gozlan, R.E., Britton, J.R., Cowx, I., Copp, G.H., Current knowledge on non-native freshwater fish introductions, *J. Fish Biol.*, 2010, vol. 76, 751–786. <https://doi.org/10.1111/j.1095-8649.2010.02566.x>
- Guareschi, S., Wood, P., Biological invasions of river ecosystems: A flow of implications, challenges, and research opportunities, In *The Encyclopedia of Conservation*, DellaSala, D.A., Goldstein, M.L., Eds., Loughborough, United Kingdom: Loughborough University, 2021, pp. 485–498. <https://doi.org/10.1016/B978-0-12-821139-7.00147-1>
- Hohenadler, M.A.A., Honka, K.I., Emde, S., Klimpel, S., Sures, B., First evidence for a possible invasional meltdown among invasive fish parasites, *Sci. Rep.*, 2018, vol. 8, pp 1–5. <https://doi.org/10.1038/s41598-018-33445-4>
- Interesova, E.A., Rostovtsev, A.A., Egorov, E.V., Zaitsev, V.F., Vizer, A.M., Fishing value of non-native fish species in the southern water bodies of Western Siberia. *Bullet. of Fish. Scien.*, 2017, vol. 4, pp. 36–44.
- Kashkovskii, V.V., Razmashkin, D.A., and Skripchenko, E.G., *Bolezni i parazity ryb rybovodnykh khozyaistv Sibiri i Urala* (Fish Diseases and Parasites from Fish Farms in Siberia and the Urals), Sverdlovsk: Sredne-Ural. Knizh. Izd., 1974.
- Kelly, D.W., Paterson, R.A., Townsend, C.R., Poulin, R., Tompkins, D.M., Parasite spillback: a neglected concept in invasion ecology?, *Ecology*, 2009, vol. 90, pp. 2047–2056. <https://doi.org/10.1890/08-1085.1>
- Khotenovsky, I. A., *Fauna of the USSR. Monogeneae: Suborder Octomacrineae*, Leningrad: Nauka, 1985.
- Kirillov, A.F., Ivanov, E.V., Solomonov, N.M., Khodulov, V.V., Shakhtarin, D.V., On self - settlement of the Amur carp *Cyprinus carpio* haematopterus and bream *Abramis brama* (Cypriniformes, Cyprinidae) introduced in the Lena River basin, *Probl. of reg. ecol.*, 2009, vol. 3, pp.151–154.
- Klimpel, S., Kuhn, T., Münster, J., Dörge, D.D., Klapper, R., Kochmann, J., *Parasites of Marine Fish and Cephalopods*; Cham: Springer, 2019. <https://doi.org/10.1007/978-3-030-16220-7>
- Kolokoltsev, M.M., Sidorov, E.G., Dinamika zarazhennosti karpovykh ryb lichinkami opistorhid v bassejne Angary (Dynamics of infestation of carp fish with opisthorchid larvae in the Angara basin). In *Parazity i bolezni gidrobiontov Ledovitomorskoj provintsii* (Parasites and diseases of hydrobionts of the Arctic Sea province), Bauer, O. N., Pronin, N.M., Eds.; Nauka: Novosibirsk, 1990, pp. 125–128.
- Kostarev, G.F., *Parazity i bolezni ryb bassejna Srednej Kamy (v usloviyah zagrizneniya)* (Parasites and Diseases of the Fish of the Middle Kama Basin under Pollution), Perm: Perm. Un., 2003.
- Koval, V.P., Trematody roda *Allocreadium* Looss, 1900 v rybah nekotorykh vodoemov SSSR (Trematodes of the genus *Allocreadium* Looss, 1900 in fish in some waters of the USSR) in *Parazity i parazitozы zhivotnykh i cheloveka* (Parasites and parasitoses of animals and humans), Kiev: Naukova Dumka, 1975, pp 146–159
- Kuchta, R., Choudhury, A., Scholz, T., Asian Fish Tapeworm: The Most Successful Invasive Parasite in Freshwaters, *Trends Parasitol.*, 2018, vol. 34, pp. 511–523. <https://doi.org/10.1016/j.pt.2018.03.001>
- Kuderskiy, L.A., *Izbrannye trudy. Issledovaniya po ikhtologii, rybnomu khozyaistvu i smezhnym distsiplinam. Tom 4. Akklimatizatsiya ryb v vodoemakh Rossii* (Selected Research Works. Ichthyological, Fisheries, and Close Discipline Studies, Vol. 4: Naturalization of Fishes in Russian Reservoirs), St. Petersburg: KMK, 2015.
- Kupchinskij, B.S., *Lesch vodoemov Bajkalo-Angarskogo bassejna* (Bream of the Baikal-Angara basin), Irkutsk: Irkutsk.Univ, 1987.
- Liberman, E.L., Sexual and age characteristics of the parasitofauna of *Abramis brama* (Cypriniformes, Cyprinidae) of the Lower Irtysh (Russia), *Bios. Divers.*, 2019, vol. 27, pp. 200–204. <https://doi.org/10.15421/011927>
- Liberman, E. L., Voropaeva, E.L., New Data on Parasitic Fauna of Bream *Abramis brama* (Linnaeus, 1758) of the Lower Irtysh (Acquired Part of the Range). *Rus. J. of Biolog. Invas.*, 2018, vol. 9, pp. 232–236. <https://doi.org/10.1134/S2075111718030098>
- Lymbery, A.J., Morine, M., Kanani, H.G., Beatty, S.J., Morgan, D.L., Co-invaders: the effects of alien parasites on native hosts, *Int. J. Parasit.: Parasites and Wildlife*, 2014, vol. 3, pp. 171–177. <https://doi.org/10.1016/j.ijppaw.2014.04.002>
- Molnár, K., Székely, C., Hallett, S.L., Atkinson, S.D., Some remarks on the occurrence, host-specificity and validity of *Myxobolus rotundus* Nemeček, 1911 (Myxozoa: Myxosporae), *Syst. Parasitol.*, 2009, vol.72, pp. 71–79. <https://doi.org/10.1007/s11230-008-9161-7>
- Moravec, F., *Parasitic nematodes of freshwater fishes of Europe*, Praha: Academia, 2013.
- Nikolsky, G.V., *Chastnaja ihtologiya* (Essays of ihtologiya), Moscow: Vysshaya Shkola, 1971.
- Olden, J.D., Chen, K., García-Berthou, E., King, A., South, J., Vitule, J., Invasive species in streams and rivers, In *Encyclopedia of Inland Waters*, Mehner, T., Tockner, K., Eds., Amsterdam: Elsevier, 2021, pp. 436–452. <https://doi.org/10.1016/B978-0-12-819166-8.00083-9>
- Olshanskaya, O.L., Vershinin, N.V., Tolmachev, V.A., Volkova, N.I., *Rybohozhajstvennoe ispol'zovanie Krasnojarskogo vodohranilischa* (Fishery use of the Krasnoyarsk reservoir), *Izv. GosNIORH*, 1977, vol. 115, pp. 97–138.
- Ondračková, M., Dávidová, M., Blažek, R., Gelnar, M., Jurajda, P., The interaction between an introduced fish host and local parasite fauna: *Neogobius kessleri* in the middle Danube River, *Parasitol. Res.*, 2009, vol. 105, pp. 201–208. <https://doi.org/10.1007/s00436-009-1384-2>
- Opređitel' parazitov presnovodnykh ryb fauny SSSR. Tom 1. Paraziticheskie prosteishie (The Guide for Identification of Freshwater Fish Parasites of the USSR, Vol. 1: Parasitic Protozoa), Shul'man, S.S., Ed., Leningrad: Nauka, 1984.

- Opredelitel' parazitov presnovodnykh ryb fauny SSSR. Tom 2. Paraziticheskie mnogokletochnye (The Guide for Identification of Freshwater Fish Parasites of the USSR, Vol. 2: Parasitic Metazoa), Bauer, O.N., Ed., Leningrad: Nauka, 1985.
- Opredelitel' parazitov presnovodnykh ryb fauny SSSR. Tom 3. Paraziticheskie mnogokletochnye (The Guide for Identification of Freshwater Fish Parasites of the USSR, Vol. 3, Parasitic Metazoa), Bauer, O.N., Ed., Leningrad: Nauka, 1987.
- Osmanov, S.O., Parazity ryb Uzbekistana (Fish Parasites of Uzbekistan), Tashkent: FAN, 1971.
- Pelgunov, A.N., Problems of opisthorchiasis and diphyllorhynchiasis in the lower stream of the Irtysh River, Russ. Parasitol. J., 2012, Vol. 3, pp. 68–73.
- Petrushevskij, G.K., Mosevich, M.V., Shchupakov, I.G., Fauna parazitov ryb Obi i Irtysha (Fauna of the parasites of the Ob and the Irtysh), *Izvestiya VNIORH*, 1948, vol. 27, pp. 67–97.
- Petrushevsky, G.K., Bauer, O.N., Izmenenie parazitofauny ryb pri ih akklimatizatsii (Changes in fish parasitofauna during their acclimatization), in *Osnovnye problemy parazitologii ryb* (Basic problems of fish parasitology), Dogel', V.A., Polyansky, Yu.I., Eds., Leningrad: Leningr. Un., 1958, pp. 256–266.
- Ponkratov, S.F., The current status and perspectives of using of the Irkutsk region fisheries fund, *Bull. of Fish. Scien.*, 2015, vol. 2, no 4, pp. 11–21.
- Popkov, V.K., Popkova, L.A., Ruzanova, A.I., Features of the ecology of *Abramis brama* (L.) and the consequences of its acclimation in the Middle Ob basin, *Vestn. Tomsk. Gos. Univ.*, 2008, vol. 306, pp. 154–157.
- Poulin, R., Mouillot, D., Host introductions and the geography of parasite taxonomic diversity, *J. Biogeography*, 2003, vol. 30, pp. 837–845. <https://doi.org/10.1046/j.1365-2699.2003.00868.x>
- Pronin, N.M., Biologiya lescha v pervyj period akklimatizatsii v ozere Ivan (Biology of bream in the first period of acclimatization in Lake Ivan) in *Biologicheskaja produktivnost' Ivano-Arachlejskih ozer* (Biological productivity of the Ivano-Arachley lakes), Shishkin, B.A., Sizikov, A.I., Eds.; Chita: Geographical Society of the USSR, 1972, Vol. 80, pp. 122–133.
- Pronin, N.M., Dugarov, Zh.N., On the parasitofauna of bream in the reservoirs of Baikal Siberia, Diversity of soils and biota of North and Central Asia: materials of the 2nd Int. Scien. conf., Ulan-Ude, Russia, June 20–25, 2011, Ulan-Ude: BNC SB RAS, 2011, In 3 volumes, vol. 2, pp. 222–223.
- Protasova, E.N., Kuperman, B.I., Roitman, V.A., Poddubnaya, L.G., Kariofillidy fauny SSSR (Karyophyllids of the fauna of the USSR), Moscow: Nauka, 1990.
- Pushkina, R.G., Osnovnye napravleniya povysheniya ryboproduktivnosti Bratskogo vodohranilisha (The main directions of increasing the fish productivity of the Bratsk reservoir), *Izv. GosNIORH*, 1977, vol. 115, pp. 55–64.
- Razmashkin, D.A.; Kashkovsky, V.V.; Skripchenko, E.G.; Izuchenie parazitov ryb Sibiri i Evropejskogo Severa (The study of fish parasites in Siberia and the European North), In *Parazity i bolezni ryb i vodnyh bespozvonochnykh* (Parasites and diseases of fish and aquatic invertebrates), Bauer, O. N., Ed., Moscow: Nauka, 1972, pp. 36–47.
- Rusinek, O.T., Parazity ryb ozera Baikal (fauna, soobshchestva, zoogeografiya, istoriya formirovaniya) (Fish Parasites of Lake Baikal: Fauna, Communities, Zoogeography, and History of Its Formation), Moscow: KMK, 2007.
- Rusinek, O.T., Sitnikova, T.Ya., Kondratistov, Y.L., Sostojanie Irkutskogo ochaga opistorhoza i voprosy ego dal'nejshego izuchenija (The condition of the Irkutsk focus of opisthorchiasis and issues of its further study), *News of Irkutsk State University, Series: Biology, Ecology*, 2012, vol. 5, pp. 125–134.
- Sabaneev, L.P. Zhizn' ryb i rybolovstvo na zaural'skikh ozerakh (Fish life and fishing on Trans-Ural lakes); Moskva: Printing house V. Got'e, 1874.
- Sheath, D.J., Williams, C.F., Reading, A.J., Britton, J.R., Parasites of non-native freshwater fishes introduced into England and Wales suggest enemy release and parasite acquisition, *Biol. Invas.* 2015, vol. 17, 2235–2246. <https://doi.org/10.1007/s10530-015-0857-8>
- Simakova, A.V., Babkina, I.B., Khodkevich, N.E., Babkin, A.M., Interesova, E.A., Infestation of Alien Cyprinid Fishes with Trematode *Opisthorchis felinus* Rivolta, 1884 in the Middle Ob River Basin. *Russ. J. Biol. Invas.*, 2019, vol. 10, pp. 178–180. <https://doi.org/10.1134/S2075111719020115>
- Sokolov, S.G., Ieshko, E.P., Gorbach, V.V., Parasites of *Perccottus glenii* Dybowski, 1877 (Actinopterygii: Odontobutidae) in the native and the introduced host range: Abundance-occupation and abundance-variation relationships, *Parasit. Int.*, 2023, vol. 93, 102699. <https://doi.org/10.1016/j.parint.2022.102699>
- Sous', S.M. and Rostovtsev, A.A., Parazity ryb Novosibirskoi oblasti (Fish Parasites of the Novosibirsk Region), Tyumen': Gosrybtsentr, 2006, part 2.
- Spikmans, F., Lemmers, P., Haren, E., Kappen, F., Blaakmeer, A., Velde, G., Alen, T.A., Impact of the invasive alien topmouth gudgeon (*Pseudorasbora parva*) and its associated parasite *Sphaerothecum destruens* on native fish species, *Biol. Invas.*, 2020, vol. 22, pp. 587–601. <https://doi.org/10.1007/s10530-019-02114-6>
- Titova, S.D., Parazity ryb Zapadnoi Sibiri (Fish Parasites of Western Siberia), Tomsk: Tomsk. Gos. Univ., 1965.
- Titova, S.D., Skripchenko, E.G., Parazitofauna ryb Novosibirskogo vodohranilisha na pjatom godu ego suschestvovaniya (Parasitofauna of fish of the Novosibirsk reservoir in the fifth year of its existence), In *Razvitie ozer'nogo rybnogo hozjajstva Sibiri* (Development of lake fisheries in Siberia), Petkevich, A.N., Ed., Novosibirsk: GosNIORH, 1963, pp. 141–150.
- Tomanic, J., Pešić, A., Joksimović, A., Ikica, Z., Simonović, P., Četković, I., New species of fish and crustaceans in Montenegrin waters (South Adriatic Sea), *Acta Adriat.*, 2022, vol. 63, pp. 109–122. <https://doi.org/10.32582/aa.63.1.11>
- Vitousek, P., D'Antonio, C.M., Loope, L.L., Westbrooks, R., Biological Invasions as Global Environmental Change, *Amer. Sc.* 1996, vol. 84, pp. 468–478.
- Vyshegorodcev, A.A.; Zadelenov, V. A. *Promyslovye ryby Eniseja* (Commercial fish of the Yenisei); Krasnoyarsk: Sib. Fed. Univ, 2013.